



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## MORBIDITY AND MORTALITY.

## MORBIDITY AND MORTALITY TABLE, CITIES OF THE UNITED STATES, FOR WEEK ENDED FEB. 17, 1912.

Cities.	Popula- tion, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having over 500,000 inhabitants.														
Baltimore, Md.	558,485	239	14	5	24	1	41	28	6	3	6	5	1	1
Boston, Mass.	670,585	258	41	119	9	31	4	76	20	5	11	1	1	1
Chicago, Ill.	2,185,283	826	136	49	1	159	9	112	99	11	1	31	10	2
Cleveland, Ohio.	560,663	159	31	5	28	1	26	1	448	210	73	68	16	2
New York, N. Y.	4,766,883	1,604	230	35	859	10	369	15	1	1	28	20	4	1
Philadelphia, Pa.	1,549,008	602	63	14	13	3	33	27	1	43	25	9	2	2
Pittsburgh, Pa.	533,905	195	19	2	8	20	20	28	20	4	9	2	1	1
St. Louis, Mo.	687,029	253	28	2	22	27	27	27	1	43	25	9	2	2
Cities having from 300,000 to 500,000 inhabitants.														
Buffalo, N. Y.	423,715	184	18	3	9	9	3	7	13	2	3	2	1	1
Cincinnati, Ohio	364,463	155	11	2	3	29	2	39	20	3	1	1	1	1
Detroit, Mich.	465,766	164	18	24	28	1	2	18	17	3	1	1	1	1
Los Angeles, Cal.	319,198	136	9	2	22	2	9	15	6	30	2	2	2	2
Milwaukee, Wis.	373,857	124	14	29	37	2	16	25	15	2	2	2	2	2
Newark, N. J.	347,469	98	12	1	10	16	39	19	19	2	2	2	2	2
New Orleans, La.	339,075	179	5	1	7	7	32	11	3	6	1	1	1	1
San Francisco, Cal.	416,912	140	2	276	2	5	24	20	20	6	1	1	1	1
Washington, D. C.	331,069	146	7	5	5	5	5	5	5	5	5	5	5	5
Cities having from 200,000 to 300,000 inhabitants.														
Denver, Colo.	213,381	56	13	4	9	9	12	9	9	1	1	1	1	1
Jersey City, N. J.	267,779	88	6	4	2	4	5	3	4	1	1	1	1	1
Kansas City, Mo.	248,381	30	6	2	4	5	3	6	4	3	3	3	3	3
Providence, R. I.	224,326	66	12	11	2	12	1	6	4	3	3	3	3	3
Seattle, Wash.	237,194	46	5	2	2	2	1	2	3	3	3	3	3	3
Cities having from 100,000 to 200,000 inhabitants.														
Bridgeport, Conn.	102,054	23	2	4	7	1	1	1	1	1	1	1	1	1
Columbus, Ohio.	181,548	63	5	39	17	1	5	14	1	1	1	1	1	1
Dayton, Ohio.	116,577	40	3	1	1	4	3	5	4	2	2	2	2	2
Fall River, Mass.	119,295	44	3	1	2	5	3	2	2	2	2	2	2	2
Grand Rapids, Mich.	112,571	33	1	4	4	1	3	2	7	1	1	1	1	1
Lowell, Mass.	106,294	42	2	22	8	1	7	5	1	1	1	1	1	1
Nashville, Tenn.	110,364	37	1	1	1	1	5	4	6	1	1	1	1	1
Oakland, Cal.	150,174	44	2	1	2	1	6	12	1	1	1	1	1	1
Omaha, Nebr.	124,096	40	4	1	5	5	6	12	1	1	1	1	1	1
Richmond, Va.	127,628	73	5	1	11	1	7	6	1	1	1	1	1	1
Toledo, Ohio.	168,497	55	9	24	13	1	7	6	6	6	6	6	6	6
Worcester, Mass.	145,986	48	5	1	13	1	7	6	6	6	6	6	6	6
Cities having from 50,000 to 100,000 inhabitants.														
Altoona, Pa.	52,127	22	3	1	9	3	3	1	1	1	1	1	1	1
Bayonne, N. J.	55,545	10	2	41	3	1	9	3	3	3	3	3	3	3
Brockton, Mass.	56,878	18	4	1	5	1	9	3	2	2	2	2	2	2
Camden, N. J.	94,538	18	1	2	8	1	1	4	1	1	1	1	1	1
Duluth, Minn.	78,466	20	5	2	10	1	1	4	1	1	1	1	1	1
Elizabeth, N. J.	73,409	15	1	7	1	1	3	3	3	3	3	3	3	3
Erie, Pa.	66,525	14	2	1	7	1	3	4	2	2	2	2	2	2
Evansville, Ind.	69,647	22	1	14	5	10	1	6	2	2	2	2	2	2
Fort Wayne, Ind.	63,933	32	1	5	10	1	3	4	2	2	2	2	2	2
Harrisburg, Pa.	64,186	11	3	3	3	3	3	3	3	3	3	3	3	3
Hartford, Conn.	98,915	6	3	1	1	1	4	2	2	2	2	2	2	2
Hoboken, N. J.	70,324	39	3	1	1	1	4	2	2	2	2	2	2	2
Houston, Tex.	78,800	27	1	1	1	1	4	2	2	2	2	2	2	2
Johnstown, Pa.	55,482	2	2	1	1	1	4	2	2	2	2	2	2	2
Kansas City, Kans.	82,331	28	1	1	1	1	4	2	2	2	2	2	2	2
Lawrence, Mass.	85,892	18	3	13	5	1	7	2	2	2	2	2	2	2
Lynn, Mass.	89,336	16	6	4	5	1	7	2	2	2	2	2	2	2
Manchester, N. H.	70,063	16	6	4	5	1	7	2	2	2	2	2	2	2

## MORBIDITY AND MORTALITY—Continued.

*Morbidity and mortality table, cities of the United States, for week ended Feb. 17, 1912—*  
Continued.

Cities.	Popula- tion, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 50,000 to 100,000 inhabitants—Con.														
Oklahoma City, Okla. ....	64,205	12	3											3
Passaic, N. J. ....	54,773	20	3	2	3		2				1			
Pawtucket, R. I. ....	51,622											3		
Reading, Pa. ....	96,071	55	4	1			2						3	
Saginaw, Mich. ....	50,510		5	1			2				1		2	1
San Antonio, Tex. ....	96,614	50	23		3							5	2	
South Bend, Ind. ....	53,684	14	1	1			1					3	2	
Springfield, Ill. ....	51,678	15	4				1		2			1	1	
Springfield, Mass. ....	88,926	33	2		24		7	1				1	2	
Trenton, N. J. ....	96,815	40	1				2				10	5	3	
Wilkes-Barre, Pa. ....	67,105	21	1		34						6	1		
Wilmington, Del. ....	87,411	35										4		
Yonkers, N. Y. ....	79,803	26	2		5		20				8	4	2	
Cities having from 25,000 to 50,000 inhabitants.														
Atlantic City, N. J. ....	46,150	6	3	1	1		2							
Auburn, N. Y. ....	34,668	19												
Aurora, Ill. ....	29,807	11	7	1										
Binghamton, N. Y. ....	48,443	26			1							2		
Brookline, Mass. ....	27,792	6			1		1				1			
Butte, Mont. ....	39,165	30			1		3					5		
Chattanooga, Tenn. ....	44,604						1				2			
Chelsea, Mass. ....	32,452	15			6		2		1		1	2		
Chicopee, Mass. ....	25,401	7			1		1					1	2	
Danville, Ill. ....	27,871	15	1		1							2		
Dubuque, Iowa. ....	38,494	6					3							
East Orange, N. J. ....	34,371	5	2		2		5				1			
Elmira, N. Y. ....	37,176	10	5										1	
Everett, Mass. ....	33,484	14	1		2		1				3	2		
Haverhill, Mass. ....	43,115	12	3		6	1	3					1	1	
Kalamazoo, Mich. ....	39,437	15			1		4							
Knoxville, Tenn. ....	36,346	16	1						2		2	2		
La Crosse, Wis. ....	30,417	5	5				1		1		1		1	
Lancaster, Pa. ....	47,227				1		2							
Lexington, Ky. ....	35,099	16			4		1					4		
Lima, Ohio. ....	30,508	7			3									
Lynchburg, Va. ....	29,494	13	2		9		1					2		
Malden, Mass. ....	44,404	13	3		3		7				2			
Montgomery, Ala. ....	38,136	26	2		11		1				2	3		1
Newcastle, Pa. ....	36,280		6										10	
Newport, Ky. ....	30,309	7	1				2				2	2		
Newton, Mass. ....	39,806	11			5		1				1		1	1
Niagara Falls, N. Y. ....	30,445	8					2					1		
Norristown, Pa. ....	27,875		1	1	98									
Orange, N. J. ....	29,630	7					4							
Pasadena, Cal. ....	30,291	8							1			1		
Pittsfield, Mass. ....	32,121	14	8	1	1				1		1	1		
Portsmouth, Va. ....	33,190	15							5					
Racine, Wis. ....	38,002	15	2	1			1							1
Roanoke, Va. ....	34,874	10	2		64		2		1		3			1
Rockford, Ill. ....	45,401	15	1				1					2	119	2
Salem, Mass. ....	43,697	19			2		6				3	2		
San Diego, Cal. ....	39,578	8	1		2		2				7	7	1	
South Omaha, Nebr. ....	26,259	9	1											
Superior, Wis. ....	40,384	4												
Taunton, Mass. ....	34,259	15	2		1							1		
Waltham, Mass. ....	27,834	10	1	1	9						1	2		
West Hoboken, N. J. ....	35,403		2		2						1			
Wheeling, W. Va. ....	41,641	20	1								2	2	1	1
Williamsport, Pa. ....	31,860	16	1				1						2	
Wilmington, N. C. ....	25,748	13			3				1					
York, Pa. ....	44,750										7			
Zanesville, Ohio. ....	28,026	12	2									4	3	

## MORBIDITY AND MORTALITY—Continued.

*Morbidity and mortality table, cities of the United States, for week ended Feb. 17, 1912—Continued.*

Cities.	Popula- tion, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
<i>Cities having less than 25,000 inhabitants.</i>														
Ann Arbor, Mich.	14,817	8					3							
Beaver Falls, Pa.	12,191		1								1		3	
Bennington, Vt.		4												
Braddock, Pa.	19,957	6					4							
Butler, Pa.	20,782	13												
Cambridge, Ohio.	11,327	6									1			
Camden, S. C.		1												
Carbondale, Pa.	17,040	5												
Clinton, Mass.	13,075	2									1			
Coffeyville, Kans.	12,687												1	
Columbus, Ga.	20,544	7										1		
Concord, N. H.	21,497	6			3									
Cumberland, Md.	21,839	9	2		1						8		2	
Dunkirk, N. Y.		7												
Galesburg, Ill.	22,089	2												
Gloucester, Mass.	24,398	8		1										
Harrison, N. J.	14,498	4												
Kearny, N. J.	18,659	5			10		1							
La Fayette, Ind.	20,081	9			1	1								1
Lebanon, Pa.	19,240										1			
Logansport, Ind.	19,050	3	1											
Manistee, Mich.							1							
Marlboro, Mass.	14,579	5	1				11						1	
Massillon, Ohio.		4					1							
Medford, Mass.	15,715	10	1		3		1					1		
Moline, Ill.	24,199	7										1		
Melrose, Mass.	15,715	4			15							1		
Montclair, N. J.	21,150	5					3				2			
Morristown, N. J.	12,507	2										1		
Nanticoke, Pa.	18,507	4	1		13						1			
Newburyport, Mass.	19,240	9									1			
North Adams, Mass.	22,012	7	2	1	1							1		
Northampton, Mass.	19,431	9									1	1		
Ottumwa, Iowa.	22,012	8					1				2	1		
Palmer, Mass.		1									1	1		
Peekskill, N. Y.		4												
Plainfield, N. J.	22,050	7	1		49		6					2		
Pottstown, Pa.		9			2		2							
Saratoga Spring, N. Y.		6												
South Bethlehem, Pa.	19,973	6			6	1					1			
Steelton, Pa.	14,246	5	3		1				1		3			
Warren, Pa.	11,081	1	1		1									
Wilksburg, Pa.	18,924	6					1				2	1		
Woburn, Mass.	15,308	6	1		18									

**STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES OF THE UNITED STATES (Untabulated).**

FLORIDA.—Reports from the State board of health show as follows: Week ended February 17, 1912. Diphtheria present in 6 localities with 15 cases, malaria in 2 localities with 5 cases, smallpox in 10 counties with 85 cases, tuberculosis in 7 counties with 12 cases, typhoid fever in 3 localities with 14 cases.

Week ended February 24, 1912. Diphtheria present in 5 localities with 10 cases, malaria in 3 localities with 16 cases, smallpox in 7 counties with 50 cases, tuberculosis in 5 localities with 5 cases, typhoid fever in 8 localities with 18 cases.